The Canadian Entomologist

Index for Volume 139 (2007) / Index pour le volume 139 (2007)

Entomological Society of Canada /
Société d'entomologie du Canada

© 2007 Entomological Society of Canada

Ahn K-J. See Jeon and Ahn, 189
Anderson RS. See Zeran *et al.*, 118
See Majka *et al.*, 378
See Majka *et al.*, 397
Arnason JT. See Scott *et al.*, 513
Assing V. See Klimaszewski *et al.*, 54
Athanassiou CG. See Tomanović *et al.*, 297
Bajerlein D. See Majka *et al.*, 690
Barreto M. See Mironov *et al.*, 757
Baur H. See Muller *et al.*, 643
Behan-Pelletier V. See Majka *et al.*, 690
Bellerose S, Chouinard G, Roy M. Occurrence of *Grapholita molesta* (Lepidoptera: Tortricidae) in major apple-growing areas of southern Quebec, 292
Benjamin MC. See Elliott *et al.*, 534
Bennett RG. See Gries *et al.*, 685
Beres B. See Cárcamo *et al.*, 658
Bernasconi G, Ward PI, Hellriegel B. Repeatability of sperm size in outbred and inbred *Scathophaga stercoraria* (Diptera: Scathophagidae), 228
Błoszyk J. See Majka *et al.*, 690
Bo T, Fenoglio S, Malacarne G. Diet of *Dinocras cephalotes* and *Perla marginata* (Plecoptera: Perlidae) in an Apennine stream (northwestern Italy), 358
Borkent CJ, Harder LD. Flies (Diptera) as pollinators of two dioecious plants: behaviour and implications for plant mating, 235
Borys RR. See Fettig *et al.*, 141
Brauner AM, de Groot P. Response of *Pityophthorus puberulus* (Coleoptera: Curculionidae: Scolytinae) to pheromones and terpenes, 742
Brodeur J. See Rhainds *et al.*, 728
Burian SK. See Giberson *et al.*, 628
Cárcamo H, Olfert O, Dosdall L, Herle C, Beres B, Soroka J. Resistance to cabbage seedpod weevil among selected Brassicaceae germplasm, 658
Carter N. See Régnière *et al.*, 365
Catling PM. Variation of hind-wing colour and length in *Sympetrum internum* (Odonata: Libellulidae) from the Canadian prairie provinces, 872
Chandler DS. See Klimaszewski *et al.*, 793
Chouinard G. See Bellerose *et al.* 292
Cicchino A. See del Carmen Castro and Cicchino, 472
Cook J. See Peck and Cook, 87
Coppens MD. See Grant *et al.*, 564
Crabo L. See Landolt *et al.*, 278
Ćurčić BPM, Makarov SE, Tomić VT, Mitić BM. Global review of some Anthroleucosomatidae (Diplopoda: Chordeumatida) with description of a new millipede genus from the Balkan Peninsula, 478
Currie CR. See Mangone and Currie, 841
Currie RW. See Underwood and Currie, 881
Dabney CP. See Fettig *et al.*, 141
Daigle G. See Rhainds *et al.*, 728
Danks HV. The elements of seasonal adaptations in insects, 1
How aquatic insects live in cold climates, 443
de Groot P. See Brauner and de Groot, 742
Dedes J. See van Frankenhuyzen *et al.*, 834
del Carmen Castro D, Cicchino A. Two remarkable species of *Phtheiropoios* (Phthiraptera: Gyropidae) from Tucumán Province, Argentina, 472
Dosdall L. See Cárcamo *et al.*, 658
Dupont A. See Régnière *et al.*, 365
Ebling P. See van Frankenhuyzen *et al.*, 834
Elliott RH, Benjamin MC, Gillott C. Laboratory studies of the toxicity of spinosad and deltamethrin to *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae), 534
Fenoglio S. See Bo *et al.*, 358
Ferris CD, Mironov VG. Replacement name for *Eupithecia deserticola* (Lepidoptera: Geometridae: Eupitheciini), 131
Fettig CJ, McKelvey SR, Dabney CP, Borys RR. The response of *Dendroctonus valens* and *Temnochila chlorodia* to *Ips paraconfusus* pheromone components and verbenone, 141
Finlay H. See Scott *et al.*, 513

© 2007 Entomological Society of Canada

Floate KD. See Noronha *et al.*, 748
Frerot B. See Nemer *et al.*, 713
Galloway TD. See Pilgrim and Galloway, 489
Gatti Liguori P, Zerba E, Gonzalez Audino P. New trap for emergent *Megaplatypus mutatus*, 894
Giberson DJ. See Purcell and Giberson, 523
Giberson DJ, Burian SK, Shouldice M. Life history of the northern mayfly *Baetis bundyae* in Rankin Inlet, Nunavut, Canada, with updates to the list of mayflies of Nunavut, 628
Gibson GAP. See Muller *et al.*, 643
See Noronha *et al.*, 748
Gillott C. See Elliott *et al.*, 534
Gonzalez Audino P. See Gatti Liguori *et al.*, 894
Goodfellow SA. See Hallett *et al.*, 700
Gordon TR. See Sakamoto *et al.*, 864
Grant GG, Guo J, MacDonald L, Coppens MD. Oviposition response of spruce budworm (Lepidoptera: Tortricidae) to host terpenes and green-leaf volatiles, 564
Green D. See Landolt *et al.*, 278
Gries G. See Gries *et al.*, 685
Gries R, Bennett RG, Khaskin G, Gries G. Attraction of male *Mayetiola thujae* (Diptera: Cecidomyiidae) to the sex-pheromone blend of (2*S*,12*S*)-, (2*S*,13*S*)-, and (2*S*,14*S*)-diacetoxyheptadecane is reduced in the presence of the *SR*- or *RR*-stereoisomers, 685
Guo J. See Grant *et al.*, 564
Hagerty A. See Landolt *et al.*, 278
Hajek AE, Kalb DM. Suitability of *Acer saccharum* and *Acer pensylvanicum* (Aceraceae) for rearing *Anoplophora glabripennis* (Coleoptera: Cerambycidae), 751
Hallett RH, Goodfellow SA, Heal JD. Monitoring and detection of the swede midge (Diptera: Cecidomyiidae), 700
Harder LD. See Borkent and Harder, 235
Heal JD. See Hallett *et al.*, 700
Hellriegel B. See Bernasconi *et al.*, 228
Helson BV. See Scott *et al.*, 513
Herle C. See Cárcamo *et al.*, 658
Jeon M-J, Ahn K-J. Revision of the seashore genus *Salinamexus* (Coleoptera: Staphylinidae: Aleocharinae) with a description of *Salinamexus koreanus* sp. nov. from Korea, 189
Kalb DM. See Hajek and Kalb, 751
Kavallieratos NG. See Tomanović *et al.*, 297
Kawar NS. See Nemer *et al.*, 713
Kfoury L. See Nemer *et al.*, 713
Khaskin G. See Gries *et al.*, 685
King BH. The effect of exposure to conspecifics on restlessness in the parasitoid wasp *Nasonia vitripennis* (Hymenoptera: Pteromalidae), 678
Klimaszewski J, Majka CG. Two new *Atheta* species (Coleoptera: Staphylinidae: Aleocharinae) from eastern Canada: taxonomy, bionomics, and distribution, 45
Euvira micmac, a new species (Coleoptera: Staphylinidae: Aleocharinae), and first record of the genus in Canada, 147
Klimaszewski J, Assing V, Majka CG, Pelletier G, Webster RP, Langor, D. Records of adventive aleocharine beetles (Coleoptera: Staphylinidae: Aleocharinae) found in Canada, 54
Klimaszewski J, Langor D, Savard K, Pelletier G, Chandler DS, Sweeney J. Rove beetles (Coleoptera: Staphylinidae) in yellow birch-dominated stands of southeastern Quebec, Canada: Diversity, abundance, and description of a new species, 793
Kok LT. See Lamb *et al.*, 576
Krantz GW. See Majka *et al.*, 690
Kuhlmann U. See Muller *et al.*, 643
Laffin RD. See Zhang *et al.*, 308
Lafontaine JD. See Troubridge and Lafontaine, 209
Lamb AB, Salom SM, Kok LT. Factors influencing aestivation in *Laricobius nigrinus* (Coleoptera: Derodontidae), a predator of *Adelges tsugae* (Hemiptera: Adelgidae), 576
Lamb RJ. See Smith *et al.*, 133
See Migui and Lamb, 850
Landolt PJ, Pantoja A, Hagerty A, Crabo L, Green D. Moths trapped in Alaska with feeding attractant lures and the seasonal flight patterns of potential agricultural pests, 278
Landry B. See Schmitz and Landry, 201
Landry J-F. Taxonomic review of the leek moth genus *Acrolepiopsis* (Lepidoptera: Acrolepiidae) in North America, 319

© 2007 Entomological Society of Canada

Langor D. See Klimaszewski *et al.*, 54
See Klimaszewski *et al.*, 793
Langor DW. See Lu *et al.* 179
See Zhang *et al.*, 308
See MacQuarrie *et al.*, 545
Lavigne D. See Régnière *et al.*, 365
Li Z. See Zhang *et al.*, 308
Lonsdale O, Marshall SA. Revision of the genus *Phylloclusia* (Diptera: Clusiidae: Clusiinae), 778
Lourenço-de-Oliveira R. See Motta *et al.*, 591
Lu X, Zhang R, Langor DW. Two new species of *Pissodes* (Coleoptera: Curculionidae) from China, with notes on Palearctic species, 179
Lucas Z. See Majka *et al.*, 690
Lyons DB. See Scott *et al.*, 513
MacDonald L. See Grant *et al.*, 564
MacQuarrie CJK, Langor DW, Sperling FAH. Mitochondrial DNA variation in two invasive birch leaf-mining sawflies in North America, 545
Majka CG. See Klimaszewski and Majka, 45
See Klimaszewski *et al.*, 54
See Klimaszewski and Majka, 147
Majka CG, Anderson RS, McAlpine DF, Webster RP. The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, I: New records from New Brunswick, 378
Majka CG, Anderson RS, McCorquodale DB. The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, II: New records from Nova Scotia and Prince Edward Island and regional zoogeography, 397
Majka CG, Behan-Pelletier V, Bajerlein D, Błoszyk J, Krantz GW, Lucas Z, OConnor B, Smith IM. New records of mites (Arachnida: Acari) from Sable Island, Nova Scotia, Canada, 690
Majka CG, McCorquodale DB, Smith ME. The Cerambycidae (Coleoptera) of Prince Edward Island: new records and further lessons in biodiversity, 258
Makarov SE. See Ćurčić *et al.*, 478
Malacarne G. See Bo *et al.*, 358
Mangone DM, Currie CR. Garden substrate preparation behaviours in fungus-growing ants, 841
Marshall SA. See Lonsdale and Marshall, 778
Mason PG. See Muller *et al.*, 643
Mattila HR, Otis GW. Manipulating pollen supply in honey bee colonies during the fall does not affect the performance of winter bees, 554
McAlpine DF. See Majka *et al.*, 378
McCorquodale DB. See Majka *et al.*, 258
See Majka *et al.*, 397
McKelvey SR. See Fettig *et al.*, 141
Mier Durante MP. See Nieto Nafría *et al.*, 154
Migui SM, Lamb RJ. Trophic interactions between three species of cereal aphid (Hemiptera: Aphididae) and spring wheat (Poaceae): implications for pest management, 850
Mironov SV, Proctor HC, Barreto M, Zimmerman G. New genera and species of feather mites of the family Gabuciniidae (Astigmata: Pterolichoidea) from New World raptors (Aves: Falconiformes), 757
Mironov VG. See Ferris and Mironov, 131
Mitić BM. See Ćurčić *et al.*, 478
Morón M-A. See Pardo-Locarno and Morón, 80
Motta MA, Lourenço-de-Oliveira R, Sallum MAM. Phylogeny of genus *Wyeomyia* (Diptera: Culicidae) inferred from morphological and allozyme data, 591
Moya-Raygoza G. Native parasitoids of *Dalbulus elimatus* and *Dalbulus maidis* (Hemiptera: Cicadellidae) in winter crops of central Mexico, 722
Muller FJ, Baur H, Gibson GAP, Mason PG, Kuhlmann U. Review of the species of *Trichomalus* (Chalcidoidea: Pteromalidae) associated with *Ceutorhynchus* (Coleoptera: Curculionidae) host species of European origin, 643
Nakamura T. See Sueyoshi *et al.*, 247
Nemer N, Kawar NS, Kfoury L, Frerot B. Evidence of sexual attraction by pheromone in the cedar web-spinning sawfly, 713
Niedbała W. A new species of ptyctimous mite (Acari: Oribatida) from the Nearctic Region, 510
New records of ptyctimous mites (Acari: Oribatida) from the Nearctic Region, 587
Nieto Nafría JM, Mier Durante MP, Ortego J, Seco Fernández MV. The genus *Uroleucon* (Hemiptera: Aphididae: Macrosiphini) in Argentina, with descriptions of five new species, 154

© 2007 Entomological Society of Canada

Noronha C, Gibson GAP, Floate KD. Hymenopterous parasitoids of house fly and stable fly puparia in Prince Edward Island and New Brunswick, Canada, 748
Novelo-Gutiérrez R. The larva of *Aeshna williamsoniana* (Odonata: Anisoptera: Aeshnidae), 195
OConnor B. See Majka *et al.*, 690
Okabe K. See Sueyoshi *et al.*, 247
Olfert O. See Cárcamo *et al.*, 658
Ortego J. See Nieto Nafría *et al.*, 154
Otis GW. See Mattila and Otis, 554
Pantoja A. See Landolt *et al.*, 278
Pardo-Locarno LC, Morón M-A. Larva and pupa of *Chrysophora chrysochlora* (Coleoptera: Scarabaeidae: Rutelinae: Rutelini), 80
Peck SB, Cook J. Systematics, distributions, and bionomics of the *Neoeocatops* **gen. nov.** and *Nemadus* of North America (Coleoptera: Leiodidae: Cholevinae: Anemadini), 87
Pelletier G. See Klimaszewski *et al.*, 54
See Klimaszewski *et al.*, 793
Peterson RKD. See Schat *et al.*, 354
See Schat *et al.*, 756
Philogène BJR. See Scott *et al.*, 513
Pilgrim RLC, Galloway TD. Descriptions of flea larvae (Siphonaptera: Hystrichopsyllidae, Ctenophthalmidae, Leptopsyllidae) of the specific parasites of the mountain beaver (Rodentia: Aplodontidae) in North America, 489
Pitt D. See van Frankenhuyzen *et al.*, 834
Poveda L. See Scott *et al.*, 513
Proctor HC. See Mironov *et al.*, 757
Purcell LA, Giberson DJ. Effects of an azinphos-methyl runoff event on macroinvertebrates in the Wilmot River, Prince Edward Island, Canada, 523
Rakhshani E. See Tomanović *et al.*, 297
Régnière J, Lavigne D, Dupont A, Carter N. Predicting the seasonal development of the yellowheaded spruce sawfly (Hymenoptera: Tenthredinidae) in eastern Canada, 365
Rhainds M, Roy M, Daigle G, Brodeur J. Toward management guidelines for the soybean aphid in Quebec. I. Feeding damage in relationship to seasonality of infestation and incidence of native predators, 728
Rosati JY, VanLaerhoven SL. New record of *Chrysomya rufifacies* (Diptera: Calliphoridae) in Canada: predicted range expansion and potential effects on native species, 670
Roy M. See Bellerose *et al.* 292
See Rhainds *et al.*, 728
Sakamoto JM, Gordon TR, Storer AJ, Wood DL. The role of *Pityophthorus* spp. as vectors of pitch canker affecting *Pinus radiata*, 864
Sallum MAM. See Motta *et al.*, 591
Salom SM. See Lamb *et al.*, 576
Sánchez-Vindas PE. See Scott *et al.*, 513
Savard K. See Klimaszewski *et al.*, 793
Schat M, Sing SE, Peterson RKD. External rostral characters for differentiation of sexes in the biological control agent *Mecinus janthinus* (Coleoptera: Curculionidae), 354
Erratum: External rostral characters for differentiation of sexes in the biological control agent *Mecinus janthinus* (Coleoptera: Curculionidae), 756
Schmitz P, Landry B. Immature stages of *Galagete protozona* (Lepidoptera: Gelechioidea: Autostichidae) from the Galapagos Islands: description and notes on biology, 201
Scott IM, Helson BV, Strunz GM, Finlay H, Sánchez-Vindas PE, Poveda L, Lyons DB, Philogène BJR, Arnason JT. Efficacy of *Piper nigrum* (Piperaceae) extract for control of insect defoliators of forest and ornamental trees, 513
Seco Fernández MV. See Nieto Nafría *et al.*, 154
Shouldice M. See Giberson *et al.*, 628
Sing SE. See Schat *et al.*, 354
See Schat *et al.*, 756
Smith IM. See Majka *et al.*, 690
Smith MAH, Wise IL, Lamb RJ. Survival of *Sitodiplosis mosellana* (Diptera: Cecidomyiidae) on wheat (Poaceae) with antibiosis resistance: implication for the evolution of virulence, 133
Smith ME. See Majka *et al.*, 258
Soroka J. See Cárcamo *et al.*, 658
Sperling FAH. See MacQuarrie *et al.*, 545
Stanisavljević LŽ. See Tomanović *et al.*, 297
Starý P. See Tomanović *et al.*, 297

© 2007 Entomological Society of Canada

Storer AJ. See Sakamoto *et al.*, 864
Strunz GM. See Scott *et al.*, 513
Sueyoshi M, Okabe K, Nakamura T. Host abundance of crane flies (Diptera: Limoniidae) and their role as phoronts of Acari (Arachnida) inhabiting fungal sporophores, 247
Sweeney J. See Klimaszewski *et al.*, 793
Tomanović Ž, Rakhshani E, Starý P, Kavallieratos NG, Stanisavljević LŽ, Žikić V, Athanassiou CG. Phylogenetic relationships between the genera *Aphidius* and *Lysaphidus* (Hymenoptera: Braconidae: Aphidiinae) with description of *Aphidius iranicus* sp. nov., 297
Tomić VT. See Ćurčić *et al.*, 478
Troubridge JT, Lafontaine JD. A revision of the North American species of *Brachylomia* (Lepidoptera: Noctuidae: Xyleninae) with descriptions of four new species, 209
Underwood RM, Currie RW. Effects of release pattern and room ventilation on survival of varroa mites and queens during indoor winter fumigation of honey bee colonies with formic acid, 881
van Frankenhuyzen K, Ebling P, Dedes J, Pitt D. Effects of diapause duration on postdiapause performance of spruce budworm (Lepidoptera: Tortricidae) during mass rearing on artificial diet, 834
VanLaerhoven SL. See Rosati and VanLaerhoven, 670
Ward PI. See Bernasconi *et al.*, 228
Webster RP. See Klimaszewski *et al.*, 54
See Majka *et al.*, 378
Wheeler TA. See Zeran *et al.*, 118
Williams DJ. Biology of the spiny ash sawfly, *Eupareophora parca* (Hymenoptera: Tenthredinidae: Blennocampinae), in Edmonton, Alberta, 269
Wise IL. See Smith *et al.*, 133
Wood DL. See Sakamoto *et al.*, 864
Ye H. See Zhang *et al.*, 308
Zeran RM, Anderson RS, Wheeler TA. Effect of small-scale forest management on fungivorous Coleoptera in old-growth forest fragments in southeastern Ontario, Canada, 118
Zerba E. See Gatti Liguori *et al.*, 894
Zhang H, Langor DW, Ye H, Li Z, Laffin RD. Genetic divergence among populations of *Pissodes yunnanensis* (Coleoptera: Curculionidae) in southwestern China, 308
Zhang R. See Lu *et al.*, 179
Žikić V. See Tomanović *et al.*, 297
Zimmerman G. See Mironov *et al.*, 757

© 2007 Entomological Society of Canada